

City of Bellevue

Printed: 07/28/2026

Membrane Startup Status, VAC Truck Coverage, and FY Budget Packet Gap

07/27/2026 - 07/26/2027

Public Comment

Permit/License #
7506069Reference Number
a2476340-87d4-11f1-b87f-e1e04c6f8e1bStatus
ActiveApplication Status
Complete

Application Review Status

Final-Review **Accepted**Date Submitted
07/24/2026Date Approved/Denied
07/27/2026

Fees

There are no fees

Payments

There are no payments

Application Form Data

(Empty fields are not included)

First Name

Hershel

Last Name

Deckard

Contact Email

inspirit34@outlook.com

Address

516 Elm Street

City

Bellevue

State

ID

Zip Code

83313

This site has updated. Hit Reload and Update to use most recent version. This will reload all tabs, so **make sure changes are saved first.**

[Reload and Update](#)

Meeting Type (optional)

Common Council

Meeting Date (optional)

07/27/2026

Comment Subject

Membrane Startup Status, VAC Truck Coverage, and FY Budget Packet Gap

Please record your comment

Thank you. Three quick items under this section for concerns not on the agenda.

First, the membrane project. Mr. Johnson told Council on July 20 the project is ahead of schedule, and Council approved \$20,000 for Keller to handle documentation, testing, and startup procedures, with that work set to begin July 25. Can staff confirm specifically that \$20,000 covers, and whether it's part of the total project cost the city has publicly cited, or in addition to it?

Second, the VAC Truck. Is there a qualified operator currently available to run it, and when is it expected to return to service? If it's not currently operational, what's the interim coverage plan?

Third, a scheduling flag. The packet for work session #4 on the budget contains only. General Fund detail, no water or wastewater fund pages, even though session #3 was devoted to those funds, and staff has said the budget must be proposed by August 4. I'd ask that those pages be included before that session.

I understand that these may need to come back at a future meeting. I'd ask that membrane startup status and VAC Truck coverage be placed on a future agenda, and I'll be following up with a records request on both. Thank you

Signature

I agree that the facts stated in this submission are true, and upon changes I will provide notification as needed.

Electronically Signed

Hershel A. Deckard - 07/24/2026 8:57 pm

Internal Notes

07/27/2026 14:59 pm - Amy Phelps

@{{user|69714931780ef8ceb13c1cd0|Chris Johnson}},
@{{user|69b1f81c18b3f4871af9cb45|Christina Giordani}}

